


Product Datasheet

Item No.: 60740



PRODUCT NAME

MIXO inrush current limiter 400 V/16 A 400 V, 16 A, 3-phase, 1,5 m H07RN-F 5G1,5



Reference image



- Approved for use on construction sites and in agricultural applications
- Input: with CEE plug 400 V, 16 A, 5-pole
- Output: with CEE socket 400 V, 16 A, 5-pole
- Voltage: U = 400 V AC, 50-60 Hz
- Suitable for 16 A circuit breakers with tripping characteristics C and D
- Max. switch-on frequency per minute: 1
- Max. load capacity: 11000 W
- IP44: protected against foreign bodies and splash-proof

Technical data

EAN	4011160607400
Weight [kg]	1.24
Dimensions	9,5x8x21,5 cm
Main color	black
Series	MIXO
Category	Energy meters and inrush current limiters
Subcategory	Inrush current limiters
Cable type	H07RN-F
Cross section [mm²]	5G1,5
Cable color	black
Cable length [m]	1.5
Rated voltage [V]	400
Rated current [A]	16
Maximum power	11 kW
IP protection	IP44
Input	CEE plug 400 V, 16 A, 5-pole with 1,5 m H07RN-F 5G1,5
Output	1x CEE socket 400 V, 16 A, 5-pole
Total number of sockets	1
Number of CEE 400 V 16 A sockets	1

Your partner for professional lighting and electrical products.



as – Schwabe GmbH Merkurstraße 10 D – 72184 Eutingen Tel. +49 7457 9 48 53 0 office@as-schwabe.de www.as-schwabe.com

Created 21.10.2025. All proprietary rights and the right to make technical changes are reserved. Reproduction is permitted only with the prior consent of as – Schwabe GmbH.